

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virgiria 22313-1450 www.uspoj.cov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/975,995	10/15/2001	Vernon T. Brady	017750-732	9493	
7590 0601/2010 Frederick G. Michaud, Jr. BURNS, DOANE, SWECKER & MATHIS, L.L.P.			EXAN	EXAMINER	
			BRINEY III, WALTER F		
P.O. Box 1404 Alexandria, VA 22313-1404		ART UNIT	PAPER NUMBER		
		2614	•		
			MAIL DATE	DELIVERY MODE	
			06/01/2010	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 09/975,995 BRADY ET AL. Office Action Summary Examiner Art Unit WALTER F. BRINEY III 2614 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 25 February 2010. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4)\(\times \) Claim(s) 1.2.11.12.19.25.26.29.36.37.40.76-83.86-94 and 97-102 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1.2.11.12.19.25.26.29.36.37.40.76-83.86-94 and 97-102 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner, Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some * c) ☐ None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date. __ Notice of Draftsperson's Patent Drawing Review (PTO-948)

Paper No(s)/Mail Date

3) Information Disclosure Statement(s) (PTO/SB/08)

5) Notice of informal Patent Application

6) Other:

20

the invention.

DETAILED ACTION

Page 2

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 13 November 2009 has been entered.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

- 15 The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
 - Claims 1-2, 11-12, 19, 25-26, 29, 36-37, 40, 76-83, 86-94 and 97-102 are
 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the
 written description requirement. The claims are further rejected under 35
 U.S.C. 112, second paragraph, as being indefinite for failing to particularly
 point out and distinctly claim the subject matter which applicant regards as

The claim(s) contains subject matter which was not described in the specification

25 in such a way as to reasonably convey to one skilled in the relevant art that the

5

10

15

inventor(s), at the time the application was filed, had possession of the claimed invention. Each claim as currently recited requires either means for information transmission/reception, a step of isolating transmission/reception of information or a dual polarization antenna, wherein information is transmitted and received over a common frequency. (See CLM at claims 1, 19 and 29, 13 November 2009.) However, the limitations requiring transmission and reception of information over a common frequency are new matter.

Applicant admits in its instant remarks (REM at 12-13, 13 November 2009) that its invention as embodied in a receiver transmits at 2.325 GHz while receiving at 3.025 GHz. (Also see SPEC at 14, 15 October 2001; DRW at FIG.5A, 15 October 2001.) Applicant further admits that two frequencies are used to isolate transmission and reception. Oddly, Applicant then concludes in the next paragraph that its instant claims broadly encompass this feature by reciting the use of a common frequency. (Id. at 13.) This is a clear case where Applicant's disclosed invention and Applicant's claims directly contradict each other. The contradiction creates a new matter issue. Moreover, it renders the claims indefinite since one of ordinary skill attempting to understand what Applicant invented would be confounded by the contradiction.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5

10

Claim 1-2, 11-12, 19, 25-26, 29, 36-37, 40, 76-83, 86-88, 90-94 and 97-102 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 5,619,503 (filed 11 January 1994) (herein *Dent*) in view of US Patent 5,793,253 (filed 28 April 1995) (herein *Kumar*) and further in view of US Patent 4,459,651 (filed 1 July 1982) (herein *Fenter*).

Claim 1 is limited to an apparatus for full duplex wireless communication of information. Concerning this claimed preamble, *Dent* likewise discloses a cellular/satellite communications system, wherein hub-to-satellite and satellite-to-hub communication takes place over in a full-duplex manner through frequency division multiplexing, where transmit and receive signals may be received on separate antennas or through a single antenna and split with a diplexing filter. *Dent* at col. 12 *l*. 55 to col. 13 *l*. 6.

The body of this claim requires 1) means for performing, 2) means for information transmission/reception, 3) regulator means and 4) means for inhibiting.

15 Concerning the first element, this claim further requires that a) the means for performing performs at least one of modulating and demodulating information signals and that b) the modulated information signal is boosted in power using a plurality of 90-degree hybrids arranged in tandem to output a plurality of amplification channels. *Dent* at fig.6 discloses the aforementioned hub 400 and satellite 410 used to communicate ultimately with a

20 plurality of mobile stations 420. *Dent* at figs.7 & 8a respectively discloses the transmitter and receiver of the satellite. *Id.* at col. 4 ll. 29-32. Note that details of the transmitter's modulator bank 430, combiner, TWT 450 and antenna 460 (mislabeled as 480 in fig.7)

Application/Control Number: 09/975,995

Art Unit: 2614

5

10

15

20

are provided in figure 10. *Id.* at col. 11 *l.* to col. 12 *l.* 31. This modulator bank 430 corresponds to the claimed "means for performing at least one of *modulating* and demodulating information signals." The modulated signals from 430 are combined and amplified by a TWT 450 (traveling wave tube amplifier) to boost their power. Although the TWT generally corresponds to a device that boosts power of modulated information, it is evident that the TWT does not inherently comprise a "plurality of 90-degree hybrids arranged in tandem to output a plurality of amplification channels."

Concerning this deficiency of *Dent*, the prior art recognizes that TWT amplifiers have severe power limitations. *Kumar* at col. 1 ll. 31-47. In solution, *Kumar* teaches a solid state transmitter matched to a low power output oscillator and providing two-stages of power amplification. *Id.* at col. 1 ll. 61-65. The most important aspects of the *Kumar* amplifier are depicted in figs.5 & 7, where an input signal is power divided 41, provided to a plurality of power amplifiers 43A-43N and combined 45 to produce a high power output. *Id.* at col. 4 ll.47-64. As seen in fig.7, which depicts amplifiers 43A-43N, a plurality of quadrature (90-degree) hybrids 65a, 65b and 65c are arranged in tandem to produce a plurality of amplification channels labeled 69b1, 69b2, 69c1 and 69c2. *Id.* at col. 5 ll. 50-53. Finally, it would have been obvious to one of ordinary skill in the art at the time of the invention to replace the TWT amplifiers 1003 and 1007 of Dent with the high power solid state microwave transmitter of Kumar to overcome the aforesaid known disadvantages of TWT amplifiers.

Concerning the second element, this claim further requires that the means for information transmission/reception provide a) information transmission using a first

5

10

15

20

polarization and b) information reception using a second polarization to thereby isolate information transmission from information reception in full duplex communication. wherein said means for information transmission/reception provides for information transmission and information reception using a common frequency. As mentioned above. Dent discloses an antenna 460 for coherent signal transmission. The antenna is described in connection with fig.10 as a dual-circular polarized horn antenna 1009. Id. at col. 12 ll. 24-27. Further, both the satellite and hub communicate in essentially the same manner, just using a different set of k-band frequencies. Id. at col. 12 ll. 55-63. This frequency division provides one form of duplex signal separation. A second form of separation/isolation just as claimed is provided in that signals are transmitted from both the hub and satellite using opposite polarities. Id. at col. 12 ll. 22-34, 55-63. Specifically, both left and right-handed signals are transmitted from the hub and satellite such that the left and right-handed signals crossing paths will not interact. Id. In this way, the dual-polarized horn antenna(e) corresponds to "means for information transmission/reception, said information transmission/reception means providing for information transmission using a first polarization and for information reception using a second polarization to thereby isolate information transmission from information reception in full duplex communication.

The above interpretation of the claim notwithstanding, it is noted that because the statutory class of claim 1 is an "apparatus," functional limitations such as "providing for information transmission using a first polarization and for information reception using a second polarization to thereby isolate information transmission from information

5

10

15

20

reception in full duplex communication" necessitate that the prior art apparatus only be capable of performing those functions. In this case, the apparatus of *Dent* clearly is capable of isolating solely on the basis of polarization in the case that beams from the satellite happen to only route through TWT 1003 (as may occur if a zero voltage signal is present on certain beams or only one beam is active), and beams from the hub happen to only route through TWT 1007. In this way, the apparatus of *Dent* is inherently capable of performing the claimed function.

Finally, regarding the "wherein" limitations of the second element, because these limitations render the claim indefinite, the Examiner must construe the claim to overcome the indefiniteness and apply prior art against the claim as necessary. Here, because the indefiniteness is based on a contradiction between the claim and the specification, the Examiner will construe the claim to be consistent with the specification. Accordingly, the "wherein" limitations should require that said means for information transmission/reception provides for information transmission and information reception using different frequencies. This is precisely what *Dent* does, since *Dent* uses two distinct bands of frequencies for transmission and reception. *Dent* at col. 12 l. 44 to col. 13 l. 6.

Concerning the third element, this claim requires that the regulator means has at least one DC voltage regulator for providing at least two DC output voltages. *Dent* does not disclose regulating power. In fact, *Dent* does not even mention power consumption.

But since power is a necessity for of the *Dent* invention to perform (i.e. it is an electrical device), it is incumbent upon one of ordinary skill in the art to select and provide a power

5

10

15

20

source. For example, the regulator of *Fenter* serves to provide consumable power in a controlled manner such that power is provided with minimal circuit overhead, thereby reducing weight and size while increasing efficiency. *Fenter* at col. 2 ll. 1-16.

Like this third claimed element, *Fenter* teaches providing two DC outputs, depicted in figure 2 as a +24V and a +5V output. *Id.* at col. 1 ll. 9-12, col. 4 *l.* 2. In this way, *Fenter* discloses a "regulator means having at least one DC voltage regulator for providing at least two DC output voltages (+24V and +5V)" as claimed. Finally, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide power in the manner taught by Fenter to realize the aforesaid advantages in addition to the inherent need to provide power.

Concerning the fourth element, this claim requires that the means for inhibiting inhibits a first of the two DC voltage outputs when a second of the two DC voltage outputs is above a predetermined threshold. As noted apropos the third element *supra*, it would have been obvious to combine *Dent* with *Fenter*, to provide a two output DC voltage regulator. Moreover, in operation, the *Fenter* regulator monitors the +5V output at pin 04 of error amp 300. *Id.* at col. 8 ll. 52-66, fig.2. When the +5V output rises above a specified threshold, the error amplifier enables optical coupler 320, which prevents timer 240 from pulsing transistor 170, which effectively prevents further power from being transmitted to the secondary transfer circuits that form the +24V output. *Id.* In this way, *Fenter* discloses "means (300 and 320) for inhibiting a first (+24V) of said two DC voltage outputs when a second (+5V) of said two DC voltage outputs is above a

5

10

15

20

predetermined threshold" as claimed. Therefore, *Dent* in view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim.

Claim 2 is limited to an apparatus according to claim 1. Figure 10 of *Dent* clearly illustrates "modulating means" comprising 'input means" that allow a video signal from each antenna element to arrive at "data processing means" 1000 and 1001, which output to power output means 1003. Therefore, *Dent* in view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim.

Claim 11 is limited to an apparatus according to claim 1. *Dent* discloses the use of two antennae inherently separated by a distance. One antenna is used for reception while the other is used for transmission. See column 12, lines 64-65. Therefore, *Dent* in view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim.

Claim 12 is limited to an apparatus according to claim 1. In alternative to the use of two antennae, *Dent* discloses the use of a single antenna. See column 12, lines 65-67. Therefore, *Dent* in view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim.

Claim 76 is limited to an apparatus according to claim 11. Although figure 10 illustrates direct modulation of a 20GHz VCO, *Dent* discloses modulating video signals first modulated to 2-3GHz to the greater 20GHz band. See column 12, lines 44-54. Therefore, *Dent* in view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim

Claim 77 is limited to an apparatus according to claim 76. In performing the aforementioned multiple step modulation, *Dent* uses an 18GHz local oscillator signal for

5

10

15

modulating a sideband up to 20GHz. See column 12, lines 51-54. Therefore, *Dent* in view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim.

Claims 78-83 are limited to apparatuses according to claim 76. As seen in figure 7 of *Kumar*, a plurality of parallel amplification channels are provided, namely 69b1, 69b2, 69c1 and 69c2. The plural of channels are provided in part by "coupler" 65a (claim 79). In fact, three couplers 65a, 65b and 65c are used to provide four channels with an output power ranging up to 125W (claim 80). See column 4, lines 56-59. The channels are combined using combiners 69a, 69b and 69c (claims 81 and 83), where each is a quadrature/90-degree hybrid (claim 82). See column 5, lines 50-53. Therefore, *Dent* in view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim.

Claims 86 and 87 are limited to apparatuses according to claim 11. Figure 8b of Dent illustrates components of the receiver bank 340 seen in figure 8a of Dent. In particular, a down converter 830/"demodulating means" is provided inherently provided with input means to receive the output from component 820 and data processing means for performing down conversion/demodulation. Another down converter 440 is provided in figure 7. Therefore, Dent in view of Kumar and further in view of Fenter makes obvious all limitations of the claim.

Claim 88 is limited to an apparatus according to claim 87. A local oscillator

provides a demodulating signal to bank 440 of figure 7, units 830 of figure 8b, and,
although not shown, an 18GHz signal to the transmitter of figure 10. Therefore, *Dent* in
view of *Kumar* and further in view of *Fenter* makes obvious all limitations of the claim.

Application/Control Number: 09/975,995

Art Unit: 2614

10

15

20

Claims 19, 25, 26 and 90-94 recite methods that are inherently, respectively performed by the apparatuses of claims 1, 11, 12, 76-78, 80 and 81, and are rejected for the same reasons.

Claims 29, 36, 37, 40 and 97-102 recite transceivers that are essentially,

5 respectively the same as the apparatuses of claims 1, 11, 12, 86, 76/77, 78, 81, 80, 79 and

82, and are rejected for the same reasons.

Claims 84 and 85 are limited to apparatuses according to claim 11. Apropos the rejections of these claims presented in the Non-Final Office Action filed 15 June 2006, Dent does not disclose regulating power, or for that matter any manner concerning power consumption. As power is a necessity for any of Dent's products to perform, it is incumbent upon one of ordinary skill in the art to select some type of power feeding mechanism. As such, the regulator of Fenter serves to provide consumable power in a controlled manner such that power is provided with minimal circuit overhead, thereby reducing weight and size while increasing efficiency. See column 2, lines 1-16.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide power in the manner taught by *Fenter* to realize the aforesaid advantages in addition to the inherent need to provide power.

Claims 95 and 96 recite methods that are inherently, respectively performed by the apparatuses of claims 84 and 85, and are rejected for the same reasons.

Claims 103 and 104 recite transceivers that are essentially, respectively the same as the apparatuses of claims 84 and 85, and are rejected for the same reasons.

10

15

20

Claim 89 is rejected under 35 U.S.C. 103(a) as being unpatentable over *Dent*in view of *Kumar* in view of *Fenter* and further in view of US Patent
5,911,117 (filed 14 October 1997) (herein *Bhame*).

Claim 89 is limited to an apparatus according to claim 87. Despite Applicant's

failure to depict the claimed housings, it is noted that Dent fails to suggest suitable
housings for the transceiver components used in both the satellite 410 and hub 400.

However, Bhame at figure 3, column 9, lines 12-17, and column 13, lines 37-43, discloses transceiver components 31 as well as radio equipment for sending and receiving radio signals. These components correspond to "modulating means and said demodulating means." Bhame further teaches that said transceiver components, and radio equipment are enclosed within housing 33, which corresponds to the "hermitically sealed housing".

It would have been obvious for one of ordinary skill in the art at the time of the invention to house the transceiver components of Dent, including the modulating and demodulating means, in the manner taught by Bhame for the purpose of providing a protective housing for the radio communication components.

Response to Arguments

Applicant's arguments filed 25 February 2010 with respect to all the pending claims have been considered but are unpersuasive. In its instant reply, Applicant makes two distinct allegations traversing the rejections set forth under paragraphs 1 and 2 of both this Office Action and the Office Action of 25 November 2009. Applicant's first allegation concerns the foregoing rejection of Applicant's claims under 35 U.S.C. 112.

The rejection, in brief, shows that Applicant's claims are in direct conflict with Applicant's specification and remarks made during prosecution. Despite these findings, Applicant makes the conclusory statement that its claims are not in conflict with its specification because

5 "upon a careful reading of Applicants' disclosure one of ordinary skill would understand that the same two transceivers communicate over the communication link."

(REM at 2, 25 February 2010.) Applicant then presents, in its remarks without citation to the specification, a diagram showing a first transceiver in communication with a second transceiver. (*Id.*) The first transceiver appears to transmit at the frequency 2.325 GHz while the second transceiver appears to receive the signal from the first transceiver at a frequency of 3.025 GHz. On the other hand, the second transceiver appears to transmit at the frequency 3.025 GHz while the first transceiver appears to receive the signal from the second transceiver at 2.325 GHz.

Examiner is not persuaded by Applicant's allegation. First, Applicant's arguments are conclusory and not supported by Applicant's specification—Applicant does not even attempt to cite any portion of its specification to support its arguments.

Second, Applicant's diagram is clearly a contradiction of Applicant's FIG.5A that shows the transmitter and receiver of a first and second transceiver operating on different frequencies. Third, Applicant contradicts itself in its remarks:

"The antenna can be configured to establish a communication link where at one end an intermediate frequency into the transmitter is 2.325 GHz and the receiver output 3.025 GHz. At another end of the link, the transmitter uses an intermediate frequency of 3.025 GHz and the receiver is 2.325 GHz. As a result, forward and reverse wireless information transfer channels are established to be isolated from each other."

20

10

15

Application/Control Number: 09/975,995

Art Unit: 2614

5

10

20

(ld. at 3-4.) This passage shows, contrary to Applicant's instant argument, that the transmitter and receiver in each of a first and second transceiver communicating over a communications link, transmit and receiver over different frequencies, not a common frequency. This contradiction in Applicant's remarks also raises the question of Applicant's good faith in dealing with the Office, particularly as this contradiction was raised in the previous Office Action and has not been addressed in any manner here.

Applicant's second allegation addresses the foregoing rejection under 35 U.S.C. 103(a). This allegation rests on Applicant's presumption that its claims support the contradictory limitation concerning transmission and reception over a common frequency. (*Id.* at 3.) As shown above, Applicant has not persuaded Examiner that the limitation is supported by the claims. Accordingly, Applicant's second allegation traversing the 103 rejections similarly fails to persuade Examiner.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of
time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the

5

10

15

advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailine date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to WALTER F. BRINEY III whose telephone number is (571)272-7513. The examiner can normally be reached on M-F 8am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis A. Kuntz can be reached on (571) 272-7499. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Walter F. Briney III/ Primary Examiner Art Unit 2614